

ERRATA: SWEET CICELY

Blue text indicates changes/corrections.

Page 51 of the Issue 12 Pattern Collection:

Women's XS [S, M, L, XL, 2X, 3X]

<<Remainder of page is unchanged.>>

Page 53:

INSTRUCTIONS

Shoulder Straps

Left Shoulder Strap: With smaller ndls, CO 10 sts. Referring to Left Shoulder Strap Chart (or written instructions), work until strap is 2.75 [3.25, 3.75, 3.75, 4.25, 4.75, 5.25]" long, ending with a WS row. *Note which row you stopped on.* Place live sts on waste yarn or stitch holder; these sts will be picked up later and used for the sleeve cap.

Right Shoulder Strap: Work as for left shoulder strap, following Right Shoulder Strap Chart (or written instructions).

Sweater Back

Back Left Shoulder: Pick up and knit 16 [19, 22, 22, 24, 27, 30] sts from edge of the left shoulder strap. Shoulder shaping is worked with short rows as follows, concealing wraps as you come to them:

Row 1 (WS): K1, p 4 [4, 4, 6, 6, 6, 6] sts, k1, p1 tbl, p to end.

Row 2 (RS): K 9 [12, 15, 13, 18, 21] sts, k1 tbl, p1, 2/2 RC [2/2 RC, 2/2 RC, 3/3 RC, 3/3 RC, 3/3 RC, 3/3 RC], p1.

Row 3: Work 6 [7, 7, 8, 8, 9, 10] sts, w&t.

Row 4: Work in pattern.

Row 5: Work 11 [13, 14, 15, 16, 18, 20] sts, w&t.

Row 6: K 9 [12, 15, 13, 18, 21] sts, k1 tbl, p1, 2/2 RC [2/2 RC, 2/2 RC, 3/3 RC, 3/3 RC, 3/3 RC, 3/3 RC], p1. Break yarn. Place sts on waste yarn or stitch holder.

Back Right Shoulder: Pick up and knit 16 [19, 22, 22, 24, 27, 30] sts from edge of the right shoulder strap. Shoulder shaping is worked with short rows as follows, concealing wraps as you come to them:

Row 1 (WS): K1, p 4 [4, 4, 6, 6, 6, 6] sts, k1, p1 tbl, p to end.

Row 2 (RS): P1, 2/2 LC [2/2 LC, 2/2 LC, 3/3 LC, 3/3 LC, 3/3 LC, 3/3 LC], p1, k1 tbl, w&t [w&t, w&t, k1 then w&t, k1 then w&t, k2 then w&t, k3 then w&t].

Rows 3 and 5: Work in pattern.

Row 4: Work in pattern to 5 [6, 7, 7, 8, 9, 10] sts after previous wrapped st, w&t.

Row 6: P1, 2/2 LC [2/2 LC, 2/2 LC, 3/3 LC, 3/3 LC, 3/3 LC, 3/3 LC], p1, k1 tbl, k to end.

Row 7: Work in pattern to end of strap. Do not break yarn.

Join back sleeve straps:

Continuing from the end of Row 7 of the upper right shoulder, cast on 47 [47, 47, 51, 51, 51, 51] sts using either the

knitted cast-on or backwards loop cast-on. Place the sts from the left shoulder strap on the LH ndl with WS facing, and work in pattern to the end. Conceal wraps as you come to them.

Sizes XS, S, and M only:

The next 2 rows are focused on the center 47 sts, working in pattern up to, and then following, those center sts.

Row 8 (RS): Work in pattern to cast-on stitches, k1 tbl, p1, k3, [p1, k1] 4 times, p1, k3, p1, [k1 tbl] 3 times, [p1, k1] 8 times, p1, [k1 tbl] 3 times, p1, k3, [p1, k1] 4 times, p1, k3, p1, k tbl, work in pattern to end.

Row 9: Work in pattern to center 47 sts, p1 tbl, k1, p3, [k1, p1] 4 times, k1, p3, k1, [p1 tbl] 3 times, [k1, p1] 8 times, k1, [p1 tbl] 3 times, k1, p3, [k1, p1] 4 times, k1, p3, k1, p1 tbl, work in pattern to end.

Sizes L, XL, and 2X only:

The next 2 rows are focused on the center 53 sts, working in pattern up to, and then following, those center sts.

Row 8 (RS): Work in pattern to cast-on stitches, k 1 tbl, p1, k4, [p1, k1] 4 times, p1, k4, p2, [k1 tbl] 3 times, [p1, k1] 8 times, p1, [k1 tbl] 3 times, p2, k4, [p1, k1] 4 times, p1, k4, p1, k1 tbl, work in pattern to end.

Row 9: Work in pattern to center 47 sts, p1 tbl, k1, p4, [k1, p1] 4 times, k1, p4, k1, [p1 tbl] 3 times, [k1, p1] 8 times, k1, [p1 tbl] 3 times, k1, p4, [k1, p1] 4 times, k1, p4, k1, p1 tbl, work in pattern to end.

All sizes:

Note that the sts associated with the flanking cables ((k1 tbl, p1, k3 (3, 3, 4, 4,

4, 4), p1) for the right side & (p1, p 4 [4, 4, 6, 6, 6, 6] sts, p1, k1 tbl) for the left side) from the shoulders are now incorporated into the main panel.

Work in St st to 1st of center 59 (59, 59, 65, 65, 65, 65) sts. Begin working row 1 of the main motif for your size. Work in St st to end.

Work flat in established pattern for 6.25 [6.25, 6.5, 6.75, 6.75, 6.75, 6.5]" from center of shoulder strap, ending on a WS row.

Begin armhole shaping as follows:

Work both of the following rows 0 [1, 1, 1, 3, 6] times:

RS: K1, M1R, work in pattern to 1 st before end, M1L, k1

WS: Work in pattern.

Work both of the following rows 0 [0, 0, 1, 1, 1, 1] times:

RS: CO 1, k1, M1R, work in pattern to 1 st before end, M1L, k1, turn.

WS: CO 1; work in pattern to end.

Work both of the following rows 1 [0, 1, 2, 3, 3, 3] times:

RS: CO 3; work in pattern to end.

WS: CO 3; work in pattern to end.

Work both of the following rows 0 [1, 1, 1, 1, 1, 1] times:

RS: CO 4; work in pattern to end.

WS: CO 4; work in pattern to end.

Page 54

Set Back aside and begin Sweater Front. Remaining armhole shaping will be completed when the back and front are joined for the Main Body.

Sweater Front

Front Left Shoulder: Pick up and knit 16 [19, 22, 22, 24, 27, 30] sts from edge of the left shoulder strap. Work short rows for shoulder shaping as follows, concealing wraps as you come to them:

Row 1 (WS): K1, p 4 [4, 4, 6, 6, 6, 6] sts, k1, p1 tbl, p to end.

Row 2 (RS): K 9 [12, 15, 13, 18, 21] sts, k1 tbl, p1, 2/2 RC [2/2 RC, 2/2 RC, 3/3 RC, 3/3 RC, 3/3 RC, 3/3 RC], p1.

Row 3: Work 6 [7, 7, 8, 8, 9, 10] sts, w&t.

Row 4: Work in pattern.

Row 5: Work 11 [13, 14, 15, 16, 18, 20] sts, w&t.

Row 6: K 9 [12, 15, 13, 18, 21] sts, k1 tbl, p1, 2/2 RC [2/2 RC, 2/2 RC, 3/3 RC, 3/3 RC, 3/3 RC, 3/3 RC], p1.

Rows 7-9: Work in pattern.

Repeat rows 6-9 until approximately 5.5" from center of shoulder strap, finishing the 12th 2/1 (2/2) RC for the left shoulder. Begin the Left Front Neckline Shaping; **at the same time**, when piece is 6.25 [6.25, 6.5, 6.75, 6.75, 6.75, 6.5]" from center of shoulder strap, ending on a WS row, **begin working** armhole shaping **as for back**, working only the outer edge shaping.

Left Front Neckline Shaping

See Neckline Shaping chart for your size.

Row 1 (WS): Work in pattern to end, BLCO 1.

Row 2 (RS): K1, work in pattern to end.

Row 3: Work in pattern to end, BLCO 1.

Row 4: P1, work in pattern to end.

Row 5: Work in pattern to end, BLCO 2.

Row 6: P1, k1, work in pattern to end.

Row 7: Work in pattern to end, BLCO 2.

Row 8: P1, k1, p1, PL, p1, work in pattern to end.

Row 9: Work in pattern to end, BLCO 2. Break yarn.

Upper Right Shoulder: Pick up and knit 16 [19, 22, 22, 24, 27, 30] sts from edge of the right shoulder strap. Work short rows for shoulder shaping as follows concealing wraps as you come to them:

Row 1 (WS): K1, p 4 [4, 4, 6, 6, 6, 6] sts, k1, p1 tbl, p to end.

Row 2 (RS): P1, 2/2 LC [2/2 LC, 2/2 LC, 3/3 LC, 3/3 LC, 3/3 LC, 3/3 LC], p1, k1 tbl, w&t [w&t, w&t, k1 then w&t, k1 then w&t, k2 then w&t, k3 then w&t].

Rows 3 and 5: Work in pattern.

Row 4: Work in pattern to 5 [6, 7, 7, 8, 9, 10] sts after previous wrapped st, w&t.

Row 6: P1, 2/2 LC [2/2 LC, 2/2 LC, 3/3 LC, 3/3 LC, 3/3 LC, 3/3 LC], p1, k1 tbl, k to end.

Row 7: Work in pattern to end of strap. Do not break yarn.

Page 55:

Repeat rows 6-9 until approximately 5.5" from center of shoulder strap, finishing the WS row *before* the 12th 2/1 (2/2) RC for the right shoulder. Begin the Right Front Neckline Shaping; **at the same time**, when piece is 6.25 [6.25, 6.5, 6.75, 6.75, 6.75, 6.5]" from center of shoulder strap, ending on a WS row, **begin working** armhole shaping **as for back**, working only the outer edge shaping.

Right Front Neckline Shaping

See *Neckline Shaping chart for your size.*

Row 1 (RS): Work in pattern, BLCO 1.

Row 2 (WS): P1, work in pattern to end.

Row 3: Work in pattern, BLCO 1.

Row 4: K1, p1, work in pattern to end.

Row 5: Work in pattern, BLCO 2 times.

Row 6: (K1, p1) 2 times, k1, p4 [4, 4, 6, 6, 6, 6], k1, p tbl.

Row 7: Work in pattern, BLCO 2 times.

Row 8: (K1, p1) 3 times, k1, p4 [4, 4, 6, 6, 6, 6], k1, p tbl.

Row 9: Work in pattern, BLCO 2 times.

Row 10: (K1, p1) 4 times, k1, p4 [4, 4, 6, 6, 6, 6], k1, p tbl.

Row 11: Work in pattern, BLCO 35 times, join left front shoulder, p1, k1, p1, PL, p1,

k1, p1, k 4 [4, 4, 6, 6, 6, 6], p1, k tbl, work in pattern to end.

Row 12: Work in pattern, p tbl, k1, p4, (k1, p1) 4 times, k1, p 4 [4, 4, 6, 6, 6, 6], k2, (p tbl) 3 times, (k1, p1) 8 times, k1, (p tbl) 3 times, k2, p4, (k1, p1) 4 times, k1, p 4 [4, 4, 6, 6, 6, 6], k1, p tbl; work to end in pattern.

When front armhole shaping is completed:

- *For sizes XS and S*, cont to work flat until neckline shaping is complete, then proceed to Main Body.
- *For other sizes*, proceed to Main Body.

Main Body

You will now join the back to the front and begin working in the round:

With RS of Right Front facing you, CO 12 sts, pm for beginning of rnd, work in pattern to end of front, CO 12 sts, join to back, work in pattern across back to end of rnd. **Join in the round.**

If you are still working on neck shaping, CO 12 sts, pm; work in pattern through the right neck shaping, turn; work in pattern to end of back; CO 12 sts, work across left front; work in pattern through left neck shaping, turn. Continue working in pattern until you've completed the neckline shaping.

Once the neckline shaping is completed **and work is joined in the round**, there are 180 [200, 224, 248, 272, 292, 316] sts.

Work in pattern for 2.5 [2.5, 3, 3, 3, 3.5, 3.5]".

<<Remainder of page is unchanged.>>

